



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015

Filing Confirmation Number: 0006874089

Filing Deadline: July 15, 2015

FRN: 0017363995

Filing Date: 07/13/2015 07:03 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Honeywell International, Inc

Brand Names: Dolphin
Intermec

PO Box:

Street Address: 9680 Old Bailes Road

City: Fort Mill

State: SC

Zip Code: 29707

Contact Name: Cedric Brownfield

Contact Phone: (319) 369-3354

Contact Fax: (319) 369-3138

Contact Email: cedric.brownfield@honeywell.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical

standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.honeywellaidc.com/CatalogDocuments/ALLHAC-ENUS-HC.pdf>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: The reported handsets are sold directly to commercial enterprises for business use, and not directly to consumers, service providers, or in retail stores. Honeywell provides hearing-aid compatibility information on its public website and in product inserts, and HAC ratings are listed on the exterior packaging of handsets certified as hearing-aid compatible.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 6

Report Remarks

Honeywell International, Inc. acquired Intermec Technologies Corp. on 9/17/13.

You have reported the following handset model summary information.

Total number of handsets offered: 20

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	8	62%	3	23%	2	15%	13
CDMA	5	45%	2	18%	4	36%	11
WCDMA	8	62%	3	23%	2	15%	13
Wi-Fi	2	100%					2

Handset 1: Honeywell 60SLU

Handset Maker

Honeywell

Handset Model Name

60SLU

FCC ID

HD560SLU

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/21/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Honeywell 70ELG0

Handset Maker

Honeywell

Handset Model Name

70ELG0

FCC ID

HD570ELG0

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/13 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Honeywell 70ELGN

Handset Maker

Honeywell

Handset Model Name

70ELGN

FCC ID

HD570ELGN

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/13 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Honeywell 7800LC

Handset Maker

Honeywell

Handset Model Name

7800LC

FCC ID

HD57800LC

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 5: Honeywell 7800LW

Handset Maker

Honeywell

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/18/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Honeywell 99EXLW**Handset Maker**

Honeywell

Handset Model Name

99EXLW

FCC ID

HD599EXLW

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/06/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Intermec 1000CP01C-H1

Handset Maker

Intermec

Handset Model Name FCC ID

1000CP01C-H1	EHA-1000CP01CX2
CN70 CDMA H1	EHA-1000CP01CX2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: Intermec 1000CP01U-H1

Handset Maker

Intermec

Handset Model Name

FCC ID

1000CP01U-H1

EHA-1000CP01UX1

CN70 UMTS H1

EHA-1000CP01UX1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: Intermec 1000CP02C-H1

Handset Maker

Intermec

Handset Model Name

FCC ID

1000CP02C-H1

EHA-1000CP01CX2

CN70e CDMA H1

EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: Intermec 1000CP02U-H1

Handset Maker

Intermec

Handset Model Name

FCC ID

1000CP02U-H1

EHA-1000CP01UX1

CN70e UMTS H1

EHA-1000CP01UX1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Intermec 1001CP01C-H1

Handset Maker

Intermec

Handset Model Name

FCC ID

1001CP01C-H1

EHA-1000CP01CX2

CK70 CDMA H1

EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: Intermec 1001CP01U-H1

Handset Maker

Intermec

Handset Model Name

FCC ID

1001CP01U-H1

EHA-1000CP01UX1

CK70 UMTS H1

EHA-1000CP01UX1

Air Interfaces/Frequency Bands

800 MHz GSM

800 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: Intermec 1001CP01C

Handset Maker

Intermec

Handset Model Name

FCC ID

1001CP01C

EHA-1000CP01CX2

CK70 CDMA

EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: Intermec 1001CP01U

Handset Maker

Intermec

Handset Model Name

FCC ID

1001CP01U

EHA-1000CP01UX1

CK70 UMTS

EHA-1000CP01UX1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 15: Intermec CN50

Handset Maker

Intermec

Handset Model Name

FCC ID

CN50

EHA-01CN50

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/06/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 16: Intermec 1015CP01S

Handset Maker

Intermec

Handset Model Name

FCC ID

1015CP01S

EHA-1015CP01SX1

CN51

EHA-1015CP01SX1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 17: Intermec 1000CP01C

Handset Maker

Intermec

Handset Model Name	FCC ID
--------------------	--------

1000CP01C	EHA-1000CP01CX2
CN70 CDMA	EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 18: Intermec 1000CP02C

Handset Maker

Intermec

Handset Model Name

FCC ID

1000CP02C

EHA-1000CP01CX2

CN70e CDMA

EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 19: Intermec 1000CP02U

Handset Maker

Intermec

Handset Model Name

FCC ID

1000CP02U

EHA-1000CP01UX1

CN70e UMTS

EHA-1000CP01UX1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 20: Intermec 1005CP01

Handset Maker

Intermec

Handset Model Name

FCC ID

1005CP01

EHA-011005CP01

CS40

EHA-011005CP01

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 01/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/30/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Cedric Brownfield Engineer III, Regulatory Compliance
07/13/2015 07:03 PM

Reference Copy